Supplemental Figure 2

Risk of bias in the included randomized clinical trials assessing barriers and solutions for cardiac rehabilitation participation.

| | Random sequence generation (selection bias) | Allocation concealment (selection bias) | Blinding of participants and personnel (performance bias) | Blinding of outcome assessment (detection bias) | Incomplete outcome data (attrition bias) | Selective reporting (reporting bias) |
|--|---|---|---|---|--|--------------------------------------|
| Ali-Faisal 2016 | • | • | • | | • | • |
| Beckie 2010 | • | • | • | • | ? | • |
| Carrol 2007 | • | ? | | ? | | • |
| Cossette 2012 | • | • | • | • | • | • |
| Dankner 2015 | • | • | • | • | • | ? |
| Grace 2016 | • | | | | | |
| | • | • | | • | | • |
| Jolly 1998 | • | • | ? | ? | ? | ? |
| Jolly 1998 Jolly 2007 | _ | + • • | ? | | ? | |
| | • | + + + | ? • | ? | ? • | ? |
| Jolly 2007 | + | + + + + | ? • | ? | ? • | ? |
| Jolly 2007 Mc Grady 2014 | + | +++++ | ? • • • | ? | 2 0 0 0 | ? |
| Jolly 2007 Mc Grady 2014 Midence 2016 | + + + | + | • | ? | • | ? • |
| Jolly 2007 Mc Grady 2014 Midence 2016 Mosleh 2014 | + + + | + | • | ? | • | ? • • • |
| Jolly 2007 Mc Grady 2014 Midence 2016 Mosleh 2014 Mueller 2009 | + + + | + | • | ? ? • • | • | ? • • • |

^{*} Risk of bias assessment for randomized controlled trials. '+': low risk of bias, '-': high risk of bias, and '?': Indicates unclear risk of bias.